# SAFETY DATA SHEET Castrol



Section 1. Identifi	cation			
Product name	Alphasyn T 46			
SDS #	451118			
Code	451118-FR01			
Relevant identified uses of t	the substance or mixture and uses advised against			
Product use	øydraulic fluid For specific application advice see appropriate Technical Data Sheet or consult our company representative.			
Supplier	Castrol Industrial North America, Inc. 150 W. Warrenville Road Naperville, IL 60563 Product Information: +1-877-641-1600			
	BP Lubricants USA Inc. 1500 Valley Road Wayne, NJ 07470 Telephone: (973) 633-2200			
EMERGENCY SPILL INFORMATION:	1 (800) 424-9300 CHEMTREC (USA)			
Section 2. Hazard	ds identification			
OSHA/HCS status	This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200).			
Classification of the substance or mixture	TOXIC TO REPRODUCTION (Fertility) - Category 2			
GHS label elements Hazard pictograms				
Circul word	Warning			
Signal word Hazard statements	₩arning Suspected of damaging fertility.			
Precautionary statements				
Prevention	btain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves. Wear eye or face protection. Wear protective clothing.			
Response	IF exposed or concerned: Get medical attention.			
Storage	Store locked up.			
Disposal	Dispose of contents and container in accordance with all local, regional, national and international regulations.			
Hazards not otherwise classified	Defatting to the skin. Note: High Pressure Applications Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency. See 'Notes to physician' under First-Aid Measures, Section 4 of this Safety Data Sheet.			
Product name Alphaeura T	Ac Product code 451118 EP01 Page: 1/9			

Product name	Alphasyn T 46		Product code	451118-FR01	Page: 1/9
Version 3	Date of issue 09/12/2016.	Format	US	Language	ENGLISH
			(US)		(ENGLISH)

# Section 3. Composition/information on ingredients

Synthetic base stock. Proprietary performance additives.

#### Substance/mixture

Mixture

Ingredient name	CAS number	%
	1330-78-5 90-30-2	≤3 <1

Any concentration shown as a range is to protect confidentiality or is due to batch variation.

There are no additional ingredients present which, within the current knowledge of the supplier and in the concentrations applicable, are classified as hazardous to health or the environment and hence require reporting in this section.

Occupational exposure limits, if available, are listed in Section 8.

## Section 4. First aid measures

### Description of necessary first aid measures

Eye contact	In case of contact, immediately flush eyes with plenty of water for at least 15 minutes. Eyelids should be held away from the eyeball to ensure thorough rinsing. Check for and remove any contact lenses. Get medical attention.
Skin contact	In case of contact, immediately flush skin with plenty of water for at least 15 minutes while removing contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognized skin cleanser. Wash clothing before reuse. Clean shoes thoroughly before reuse. Get medical attention.
Inhalation	If inhaled, remove to fresh air. Get medical attention.
Ingestion	Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. If unconscious, place in recovery position and get medical attention immediately. Get medical attention.
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation.

### Most important symptoms/effects, acute and delayed

See Section 11 for more detailed information on health effects and symptoms.

### Indication of immediate medical attention and special treatment needed, if necessary

Notes to physician	Treatment should in general be symptomatic and directed to relieving any effects.
	Note: High Pressure Applications Injections through the skin resulting from contact with the product at high pressure constitute a major medical emergency. Injuries may not appear serious at first but within a few hours tissue becomes swollen, discolored and extremely painful with extensive subcutaneous necrosis. Surgical exploration should be undertaken without delay. Thorough and extensive debridement of the wound and underlying tissue is necessary to minimize tissue loss and prevent or limit permanent damage. Note that high pressure may force the product considerable distances along tissue planes.
Specific treatments	No specific treatment.

# Section 5. Fire-fighting measures

Extinguishing media	
Suitable extinguishing media	In case of fire, use foam, dry chemical or carbon dioxide extinguisher or spray.
Unsuitable extinguishing media	Do not use water jet.
Specific hazards arising from the chemical	In a fire or if heated, a pressure increase will occur and the container may burst.

Product name	Alphasyn T 46		Product code	451118-FR01	Page: 2/9
Version 3	Date of issue 09/12/2016.	Format	US	Language	ENGLISH
			(US)		(ENGLISH)

### Section 5. Fire-fighting measures

Hazardous combustion products	Combustion products may include the following: carbon dioxide carbon monoxide phosphorus oxides
Special protective actions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire-fighters	Fire-fighters should wear positive pressure self-contained breathing apparatus (SCBA) and full turnout gear.

### Section 6. Accidental release measures

Personal precautions, protecti	ve equipment and emergency procedures		
For non-emergency personnel	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Avoid breathing vapor or mist. Provide adequate ventilation. Put on appropriate personal protective equipment. Floors may be slippery; use care to avoid falling. Contact emergency personnel.		
For emergency responders	Entry into a confined space or poorly ventilated area contaminated with vapor, mist or fume is extremely hazardous without the correct respiratory protective equipment and a safe system of work. Wear self-contained breathing apparatus. Wear a suitable chemical protective suit. Chemical resistant boots. See also the information in "For non-emergency personnel".		
Environmental precautions	Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).		
Methods and materials for con	tainment and cleaning up		
Small spill	Stop leak if without risk. Move containers from spill area. Absorb with an inert material and place in an appropriate waste disposal container. Dispose of via a licensed waste disposal contractor.		
Large spill	Stop leak if without risk. Move containers from spill area. Approach release from upwind. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations. Contaminated absorbent material may pose the same hazard as the spilled product. Dispose of via a licensed waste disposal contractor.		

### Section 7. Handling and storage

#### Precautions for safe handling Put on appropriate personal protective equipment (see Section 8). Do not get in eyes or **Protective measures** on skin or clothing. Avoid breathing vapor or mist. Do not ingest. Empty containers retain product residue and can be hazardous. Keep in the original container or an approved alternative made from a compatible material, kept tightly closed when not in use. Do not reuse container. If during normal use the material presents a respiratory hazard, use only with adequate ventilation or wear appropriate respirator. Avoid exposure - obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Avoid exposure during pregnancy. Eating, drinking and smoking should be prohibited in areas where this material is Advice on general handled, stored and processed. Wash thoroughly after handling. Remove contaminated occupational hygiene clothing and protective equipment before entering eating areas. See also Section 8 for additional information on hygiene measures.

Product name	Alphasyn T 46		Product code	451118-FR01	Page: 3/9
Version 3	Date of issue 09/12/2016.	Format	US	Language	ENGLISH
			(US)		(ENGLISH)

# Section 7. Handling and storage

Conditions for safe storage, including any incompatibilities	Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Store locked up. Keep container tightly closed and sealed until ready for use. Store and use only in equipment/containers designed for use with this product. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.
Not suitable	Prolonged exposure to elevated temperature.

# Section 8. Exposure controls/personal protection

•	· · ·	
Control parameters		
Occupational exposure limits		
tris(methylphenyl)phosphate	None.	
n-phenyl-1-naphthylamine	None.	
Appropriate engineering controls	All activities involving chemicals should be asse exposures are adequately controlled. Personal p considered after other forms of control measure suitably evaluated. Personal protective equipment standards, be suitable for use, be kept in good of Your supplier of personal protective equipment a selection and appropriate standards. For further organisation for standards. Provide exhaust ventilation or other engineering concentrations below their respective occupation The final choice of protective equipment will dep important to ensure that all items of personal pro-	protective equipment should only be es (e.g. engineering controls) have been ent should conform to appropriate condition and properly maintained. should be consulted for advice on r information contact your national g controls to keep the relevant airborne nal exposure limits. bend upon a risk assessment. It is
Environmental exposure controls	Emissions from ventilation or work process equi comply with the requirements of environmental p fume scrubbers, filters or engineering modification necessary to reduce emissions to acceptable level	protection legislation. In some cases, ons to the process equipment will be
Individual protection measures		
Hygiene measures	Wash hands, forearms and face thoroughly afte eating, smoking and using the lavatory and at th Appropriate techniques should be used to remov Wash contaminated clothing before reusing. Er showers are close to the workstation location.	ne end of the working period. ve potentially contaminated clothing.
Eye/face protection	Safety glasses with side shields.	
Skin protection		
Hand protection	Wear protective gloves if prolonged or repeated resistant gloves. Recommended: Nitrile gloves. depends upon the chemicals being handled, the condition of the gloves (even the best chemically repeated chemical exposures). Most gloves pro- before they must be discarded and replaced. Be material handling practices vary, safety procedu intended application. Gloves should therefore be manufacturer and with a full assessment of the consult your supervisor or Standard Operating F instructions.	The correct choice of protective gloves e conditions of work and use, and the y resistant glove will break down after vide only a short time of protection ecause specific work environments and ires should be developed for each e chosen in consultation with the supplier/ working conditions.
Body protection	See of protective clothing is good industrial prace Cotton or polyester/cotton overalls will only prov contamination that will not soak through to the s regular basis. When the risk of skin exposure is if there is a risk of splashing) then chemical resis suits and boots will be required. Personal protective equipment for the body show performed and the risks involved and should be	ide protection against light superficial skin. Overalls should be laundered on a s high (e.g. when cleaning up spillages or stant aprons and/or impervious chemical uld be selected based on the task being
Product name Alphasyn T 46	Product code	e 451118-FR01 Page: 4/9
Version 3 Date of issue 09		Language ENGLISH

(US)

(ENGLISH)

# Section 8. Exposure controls/personal protection

this product.

Other skin protection	Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.
Respiratory protection	In case of insufficient ventilation, wear suitable respiratory equipment. The correct choice of respiratory protection depends upon the chemicals being handled, the conditions of work and use, and the condition of the respiratory equipment. Safety procedures should be developed for each intended application. Respiratory protection equipment should therefore be chosen in consultation with the supplier/manufacturer and with a full assessment of the working conditions.

# Section 9. Physical and chemical properties

<u>Appearance</u>	
Physical state	Liquid.
Color	✔ellow. [Light]
Odor	Not available.
Odor threshold	Not available.
рН	Not available.
Melting point	Not available.
Boiling point	Not available.
Flash point	Øosed cup: >200°C (>392°F) [Pensky-Martens.]
Pour point	-57 °C
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable. Based on - Physical state
Lower and upper explosive (flammable) limits	Not available.
Vapor pressure	Not available.
Vapor density	Not available.
Density	<1000 kg/m³ (<1 g/cm³) at 15°C
Solubility	insoluble in water.
Partition coefficient: n- octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition temperature	Not available.
Viscosity	Kinematic: 46 mm²/s (46 cSt) at 40°C Kinematic: 7.8 mm²/s (7.8 cSt) at 100°C

# Section 10. Stability and reactivity

Reactivity	No specific test data available for this product. Refer to Conditions to avoid and Incompatible materials for additional information.
Chemical stability	The product is stable.
Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur. Under normal conditions of storage and use, hazardous polymerization will not occur.
Conditions to avoid	Avoid all possible sources of ignition (spark or flame).
Incompatible materials	Reactive or incompatible with the following materials: oxidizing materials.
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

Product name	Alphasyn T 46		Product code	451118-FR01	Page: 5/9
Version 3	Date of issue 09/12/2016.	Format	US	Language	ENGLISH
			(US)		(ENGLISH)

# Section 11. Toxicological information

### Information on toxicological effects

Specific target organ toxicity (repeated exposure)

Name		Category	Route of exposure	Target organs
p-phenyl-1-naphthylamine		Category 2	Oral	blood system
nformation on the likely outes of exposure	Routes of entry antic	cipated: Dermal, Inhalatio	on.	
Potential acute health effects				
Eye contact	No known significan	t effects or critical hazard	ds.	
Skin contact	No known significan	t effects or critical hazard	ds.	
Inhalation	Vapor inhalation und pressure.	ler ambient conditions is	not normally a pro	blem due to low vap
Ingestion	No known significan	t effects or critical hazard	ds.	
symptoms related to the physical	sical, chemical and tox	icological characterist	<u>ics</u>	
Eye contact	No specific data.			
Skin contact	Adverse symptoms r irritation dryness cracking reduced fetal weight increase in fetal dea skeletal malformatio	ths	j:	
Inhalation	No specific data.			
Ingestion	Adverse symptoms i reduced fetal weight increase in fetal dea skeletal malformatio	ths	<b>]</b> :	
Delayed and immediate effect	ts and also chronic eff	ects from short and lor	ng term exposure	
Short term exposure				
Potential immediate effects	Not available.			
Potential delayed effects	Not available.			
Long term exposure				
Potential immediate effects	Not available.			
Potential delayed effects	Not available.			
Potential chronic health effe	ects			
General	No known significan	t effects or critical hazard	ds.	
Carcinogenicity	No known significan	t effects or critical hazard	ds.	
Mutagenicity	No known significan	t effects or critical hazard	ds.	
Teratogenicity	No known significan	t effects or critical hazard	ds.	
Developmental effects	No known significan	t effects or critical hazard	ds.	
Fertility effects	Suspected of damage	ging fertility.		
lumerical measures of toxic Acute toxicity estimates Not available.	<u>ity</u>			

Product name	Alphasyn T 46	Product code	451118-FR01	Page: 6/9
Version 3	Date of issue 09/12/2016.	Format US	Language	ENGLISH
		(US)		(ENGLISH)

# Section 12. Ecological information

### <u>Toxicity</u>

No testing has been performed by the manufacturer.

### Persistence and degradability

Not expected to be rapidly degradable.

### **Bioaccumulative potential**

This product is not expected to bioaccumulate through food chains in the environment.

Mobility in soil	Not available.
Soil/water partition coefficient (Koc)	NUT available.
Mobility	Spillages may penetrate the soil causing ground water contamination.
Other adverse effects	No known significant effects or critical hazards.
Other ecological information	Spills may form a film on water surfaces causing physical damage to organisms. Oxygen transfer could also be impaired.

### Section 13. Disposal considerations

Section 14 Transport information

Disposal methods The generation of waste should be avoided or minimized wherever possible. Significant quantities of waste product residues should not be disposed of via the foul sewer but processed in a suitable effluent treatment plant. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

	DOT Classification	TDG Classification	IMDG	IATA
UN number	Not regulated.	Not regulated.	Not regulated.	Not regulated.
UN proper shipping name	-	-	-	-
Transport hazard class(es)	-	-	-	-
Packing group	-	-	-	-
Environmental hazards	No.	No.	No.	No.
Additional information	-	-	-	-

Special precautions for user Not available.

 Product name
 Alphasyn T 46
 Product code
 451118-FR01
 Page: 7/9

 Version 3
 Date of issue 09/12/2016.
 Format
 US
 Language
 ENGLISH

 (US)
 (ENGLISH)

# Section 14. Transport information

Transport in bulk according Not available. to Annex II of MARPOL and the IBC Code

# Section 15. Regulatory information

U.S. Federal regulations	
United States inventory (TSCA 8b)	All components are listed or exempted.
<u>SARA 302/304</u>	
Composition/information of	on ingredients
No products were found.	
SARA 311/312	
Classification	Delayed (chronic) health hazard
<u>SARA 313</u>	
Form R - Reporting requirements	This product does not contain any hazardous ingredients at or above regulated thresholds.
Supplier notification	This product does not contain any hazardous ingredients at or above regulated thresholds.
State regulations	
Massachusetts	None of the components are listed.
New Jersey	The following components are listed: TRICRESYL PHOSPHATE; PHOSPHORIC ACID, TRIS(METHYLPHENYL) ESTER
Pennsylvania	None of the components are listed.
California Prop. 65	<b>WARNING:</b> This product contains a chemical known to the State of California to cause cancer. 1-Naphthylamine; Aniline; 2-naphthylamine
Other regulations	
Australia inventory (AICS)	All components are listed or exempted.
Canada inventory	At least one component is not listed.
China inventory (IECSC)	All components are listed or exempted.
Japan inventory (ENCS)	KI components are listed or exempted.
Korea inventory (KECI)	At least one component is not listed.
Philippines inventory (PICCS)	All components are listed or exempted.
Taiwan Chemical Substances Inventory (TCSI)	Not determined.
REACH Status	The company, as identified in Section 1, sells this product in the EU in compliance with the current requirements of REACH.

# Section 16. Other information

National Fire Protection Asso	ociation (U.S.A.)			
Health 1	Flammability 0 Instability/Reactivity Special	y .		
History				
Date of issue/Date of revision	09/12/2016.			
Date of previous issue	03/09/2015.			
Prepared by	Product Stewardship			
Product name Alphasyn T 4	46	Product code	451118-FR01	Page: 8/9
Version 3 Date of issue	09/12/2016.	Format US	Langua	ge ENGLISH
		(US)		(ENGLISH)

## Section 16. Other information

Key to abbreviations	ACGIH = American Conference of Industrial Hygienists
	ATE = Acute Toxicity Estimate
	BCF = Bioconcentration Factor
	CAS Number = Chemical Abstracts Service Registry Number
	GHS = Globally Harmonized System of Classification and Labelling of Chemicals
	IATA = International Air Transport Association
	IBC = Intermediate Bulk Container
	IMDG = International Maritime Dangerous Goods
	LogPow = logarithm of the octanol/water partition coefficient
	MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as
	modified by the Protocol of 1978. ("Marpol" = marine pollution)
	OEL = Occupational Exposure Limit
	SDS = Safety Data Sheet
	STEL = Short term exposure limit
	TWA = Time weighted average
	UN = United Nations
	UN Number = United Nations Number, a four digit number assigned by the United
	Nations Committee of Experts on the Transport of Dangerous Goods.
	Varies = may contain one or more of the following 101316-69-2, 101316-70-5,
	101316-71-6, 101316-72-7, 64741-88-4, 64741-89-5, 64741-95-3, 64741-96-4,
	64741-97-5, 64742-01-4, 64742-44-5, 64742-45-6, 64742-52-5, 64742-53-6, 64742-54-7,
	64742-55-8, 64742-56-9, 64742-57-0, 64742-58-1, 64742-62-7, 64742-63-8, 64742-64-9,
	64742-65-0, 64742-70-7, 72623-85-9, 72623-86-0, 72623-87-1, 74869-22-0, 90669-74-2

#### Indicates information that has changed from previously issued version.

### Notice to reader

All reasonably practicable steps have been taken to ensure this data sheet and the health, safety and environmental information contained in it is accurate as of the date specified below. No warranty or representation, express or implied is made as to the accuracy or completeness of the data and information in this data sheet.

The data and advice given apply when the product is sold for the stated application or applications. You should not use the product other than for the stated application or applications without seeking advice from BP Group.

It is the user's obligation to evaluate and use this product safely and to comply with all applicable laws and regulations. The BP Group shall not be responsible for any damage or injury resulting from use, other than the stated product use of the material, from any failure to adhere to recommendations, or from any hazards inherent in the nature of the material. Purchasers of the product for supply to a third party for use at work, have a duty to take all necessary steps to ensure that any person handling or using the product is provided with the information in this sheet. Employers have a duty to tell employees and others who may be affected of any hazards described in this sheet and of any precautions that should be taken. You can contact the BP Group to ensure that this document is the most current available. Alteration of this document is strictly prohibited.

Product name	Alphasyn T 46	Product code	451118-FR01	Page: 9/9
Version 3	Date of issue 09/12/2016.	Format US	Language	ENGLISH
		(US)		(ENGLISH)