



PRODUCT INFORMATION

Hasco Industrial EP Gear Oil

PREMIUM INDUSTRIAL EP GEAR OIL (NON-LEADED)

Product Description

Industrial EP Gear Oil is formulated from high quality high VI base oils combined with selected additives to provide resistance to foaming, rusting, corrosion, and oxidation. A sulfur-phosphorus additive is used to give this oil its extreme pressure characteristics which permit industrial gears to withstand heavy loads and shock loading. Unique additive packaging employed in industrial EP Gear Oil is non-corrosive to brass, bronze, steel or other alloys.

Advantages & Uses

- * Meets AGMA (American Gear Manufacturers Association) Gear Specifications EP 5 thru EP 7.
- * Used in bevel, spur, herringbone, planetary, worm and industrial hypoid gears.
- * Also used in chain drives, sprockets, plain and anti-friction bearings, slide guides and flexible couplings.
- * Recommended for use in manual transmissions, gear cases and worm gears on mobile contractor type equipment.

Features

- * Truly multi-purpose product - wide range of applications.
- * Excellent EP and anti-wear properties
- * Superior thermal stability for longer service life
- * Compatible with steel, bronze, copper, and copper alloys
- * Versatile multi-purpose industrial gear oil of outstanding quality

TEST	220	320	460
Gravity, °API	26.2	25.2	24.6
Flash Point, °F	450	460	480
Fire Point, °F	495	500	510
Viscosity:			
cSt. @ 40°C	220	320	460
cSt. @ 100°C	18.6	23.4	29.6
Viscosity Index	94	92	92
Color, D-1500	4.5	4.5	4.5

Hasco Oil Company Inc., 2800 Temple Ave, Long Beach, CA 90806

Tel: (562) 595-8491 Fax: (562) 427-1534

www.hascooil.com