



Duratec HPL

Gas Engine Lubricant

Description

Castrol Duratec HPL is a new generation high performance spark ignition gas engine lubricant, incorporating a balance of the latest additive technology.

Application

Castrol Duratec HPL has been developed for use in highly rated natural gas engines operating at high loads and high temperatures. The blend of specially selected high quality base oils with the latest additive technology provides a lubricant primarily for spark ignition gas engines where a low ash formulation is required.

Duratec HPL is approved by:

MAN Nutzfahrzeuge AG - running on natural gas, sewer gas, landfill gas and biogas

Menag Energie GmbH - running on natural gas and biogas

MTU Onsite Energy GmbH - 400 Series running on natural gas and propane

Advantages

- Superior thermal and oxidative resistance
- Extends oil change periods compared to standard products
- Maintains film thickness at high temperatures
- Reduced total lubrication costs

Typical Characteristics

Name	Method	Units	Duratec HPL
Kinematic Viscosity @ 100°C	ASTM D445 / ISO 3104	mm ² /s	13.0
Viscosity Index	ASTM D2270 / ISO 2909		100
SAE Viscosity			40
Total Base Number	ASTM D2896 / ISO 3771	mgKOH/g	5
Sulphated Ash	ASTM D874 / ISO 3987	% wt	0.45
Zinc	ASTM D4951	ppm	<300
Phosphorus	ASTM D4951	ppm	<300

Subject to usual manufacturing tolerances.

Duratec HPL
09 Jul 2013
Castrol, the Castrol logo and related marks are trademarks of Castrol Limited, used under licence.

This data sheet and the information it contains is believed to be accurate as of the date of printing. However, no warranty or representation, express or implied, is made as to its accuracy or completeness. Data provided is based on standard tests under laboratory conditions and is given as a guide only. Users are advised to ensure that they refer to the latest version of this data sheet. It is the responsibility of the user to evaluate and use products safely, to assess suitability for the intended application and to comply with all applicable laws and regulations. Material Safety Data Sheets are available for all our products and should be consulted for appropriate information regarding storage, safe handling, and disposal of the product. No responsibility is taken by either BP plc or its subsidiaries for any damage or injury resulting from abnormal use of the material, from any failure to adhere to recommendations, or from hazards inherent in the nature of the material. All products, services and information supplied are provided under our standard conditions of sale. You should consult our local representative if you require any further information.

Castrol Industrial, Technology Centre , Whitchurch Hill , Pangbourne , Reading , RG8 7QR , United Kingdom

www.castrol.com/industrial